



DAS SÄGEBAND.

# EVOTEC SCL<sup>®</sup>



## BI-METAL BANDSAW BLADE

The high-performer for high-strength materials

[WWW.WESPA-SAW.COM](http://WWW.WESPA-SAW.COM)





## EVOTEC SCL<sup>®</sup>

The high-performer for high-strength materials



Product group 466							
mm	Inch / tpi	4/6	3/4	2/3	1,4/2	1,1/1,4	0,7/0,9
27 x 0,90	1" x 0.035	■	■				
34 x 1,10	1 1/4" x 0.042	■	■	■			
41 x 1,30	1 1/2" x 0.050	■	■	■	■		
54 x 1,60	2" x 0.062		■	■	■	■	
67 x 1,60	2 5/8" x 0.062				■	■	■
80 x 1,60	3 1/8" x 0.062					■	■
Contact lengths in mm		50-150	80-200	130-400	220-600	400-800	800-2100

Extremely stressable high-performance bandsaw blade for sawing difficult to cut materials as well as highly heat-resistant special alloys.

Specially heat-resistant tooth tips of powder-metallurgical HSS offer a tool life advantage over conventional M42 bandsaw blades.



## Bi-Metal

### Product Features



Reinforced Profile Tooth  
positive rake angle

M51

### Areas of Application



Solid Material  
large



Solid Material  
small



Bundle  
solid material

### Product Advantages



Wear Resistance



Performance



Cost Reduction

MATERIAL GROUP

2

Stainless steel  
Hardened steels  
Heat resistant steel  
Steel and non-ferrous alloys  
Titanium and Titanium alloys